

## Data sheet

Sheet No.: GPI 3.01 Rev. C


Date: March 2017

G/GC-Series

# Dimensions – (Pneumatic) In. G/GC-Series


## Double-Acting Actuators

G010XX/GC010XX (CW Model Shown)



| Actuator Model | A     | B    | C     | D       |
|----------------|-------|------|-------|---------|
| G01008/GC01008 | 8.75  | 3.19 | 10.25 | 3/4 NPT |
| G01009/GC01009 | 9.88  | 3.78 | 10.82 | 3/4 NPT |
| G01010/GC01010 | 11.00 | 4.38 | 11.38 | 3/4 NPT |
| G01012/GC01012 | 13.00 | 5.00 | 12.38 | 3/4 NPT |
| G01014/GC01014 | 14.25 | 5.50 | 13.00 | 3/4 NPT |

## G010XX-M11/GC010XX-M11 (CW Model Shown)



| Actuator Model         | A     | B    |
|------------------------|-------|------|
| G01008-M11/GC01008-M11 | 8.75  | 3.19 |
| G01009-M11/GC01009-M11 | 9.88  | 3.78 |
| G01010-M11/GC01010-M11 | 11.00 | 4.38 |
| G01012-M11/GC01012-M11 | 13.00 | 5.00 |
| G01014-M11/GC01014-M11 | 14.25 | 5.50 |

Note: Not Certified dimensional drawings. Such drawings available on request.  
Contact factory with correct model designation and serial number.  
All dimensions are expressed in inches.

**BETTIS™**

Copyright © Emerson. The information in this document is subject to change without notice. Updated data sheets can be obtained from our website [www.emerson.com/bettis](http://www.emerson.com/bettis) or from your Emerson Automation Solutions - Actuation Technologies Center:  
America's: +1 281 477 4100 Europe: +36 22 53 0950 Asia/Pacific: +65 67 77 8211





**EMERSON™**



Reseller & stockist  
[www.globalsupplyline.com.au](http://www.globalsupplyline.com.au)  
[sales@globalsupplyline.com.au](mailto:sales@globalsupplyline.com.au)  
Full stock list [click here](#)


# Dimensions – (Pneumatic) In. G/GC-Series

**Double-Acting Actuators  
Mounting Pad Detail**



ACCESSORY PAD NO. 2 DETAIL

**Adjustable End Stops  
& Jackscrews**



|                           | X (-ETS)<br>Extended<br>Travel Stop | X<br>End Stop | Z<br>(M3/M3HW)<br>Jackscrew |
|---------------------------|-------------------------------------|---------------|-----------------------------|
| Power Module              | 27.32                               | 20.41         | 29.55                       |
| Blind End Cap Module      | 15.83                               | 8.92          | 17.43                       |
| Spring Module             | 47.65                               | 40.31         | 46.63                       |
| Hydraulic Override Module | 27.71                               | 21.59         | N/A                         |

Note: Not Certified dimensional drawings. Such drawings available on request.  
Contact factory with correct model designation and serial number.  
All dimensions are expressed in inches.

**BETTIS™**

Copyright © Emerson. The information in this document is subject to change without notice. Updated data sheets can be obtained from our website [www.emerson.com/bettis](http://www.emerson.com/bettis) or from your Emerson Automation Solutions - Actuation Technologies Center:  
America's: +1 281 477 4100 Europe: +36 22 53 0950 Asia/Pacific: +65 67 77 8211

  
**EMERSON™**

## Data sheet

Sheet No.: GPI 3.03 Rev. C


Date: March 2017

G/GC-Series

# Dimensions – (Pneumatic) In. G/GC-Series


## Spring-Return Actuators

G010XX-SR/GC010XX-SR (CW Model Shown)



| Actuator Model       | A     | B    | C     |
|----------------------|-------|------|-------|
| G01008-SR/GC01008-SR | 8.75  | 3.19 | 10.25 |
| G01009-SR/GC01009-SR | 9.88  | 3.78 | 10.82 |
| G01010-SR/GC01010-SR | 11.00 | 4.38 | 11.38 |
| G01012-SR/GC01012-SR | 13.00 | 5.00 | 12.38 |
| G01014-SR/GC01014-SR | 14.25 | 5.50 | 13.00 |

## G010XX-SR-M11/GC010XX-SR-M11 (CW Model Shown)



| Actuator Model               | A     | B    |
|------------------------------|-------|------|
| G01008-SR-M11/GC01008-SR-M11 | 8.75  | 3.25 |
| G01009-SR-M11/GC01009-SR-M11 | 9.88  | 3.78 |
| G01010-SR-M11/GC01010-SR-M11 | 11.00 | 4.38 |
| G01012-SR-M11/GC01012-SR-M11 | 13.00 | 5.00 |
| G01014-SR-M11/GC01014-SR-M11 | 14.25 | 5.50 |

Note: Not Certified dimensional drawings. Such drawings available on request.  
Contact factory with correct model designation and serial number.  
All dimensions are expressed in inches.

**BETTIS**

Copyright © Emerson. The information in this document is subject to change without notice. Updated data sheets can be obtained from our website [www.emerson.com/bettis](http://www.emerson.com/bettis) or from your Emerson Automation Solutions - Actuation Technologies Center:  
America's: +1 281 477 4100 Europe: +36 22 53 0950 Asia/Pacific: +65 67 77 8211

**EMERSON**

## Data sheet


Sheet No.: GPI 3.04 Rev. C

Date: March 2017

G/GC-Series

# Dimensions – (Pneumatic) In. G/GC-Series

Spring-Return Actuators  
Accessory Details



Note: Not Certified dimensional drawings. Such drawings available on request.  
Contact factory with correct model designation and serial number.  
All dimensions are expressed in inches.

**BETTIS™**

Copyright © Emerson. The information in this document is subject to change without notice. Updated data sheets can be obtained from our website [www.emerson.com/bettis](http://www.emerson.com/bettis) or from your Emerson Automation Solutions - Actuation Technologies Center:  
America's: +1 281 477 4100 Europe: +36 22 53 0950 Asia/Pacific: +65 67 77 8211

  
**EMERSON™**



## Data sheet

Sheet No.: GPI 3.05 Rev. C



Date: March 2017

G/GC-Series

# Dimensions – (Pneumatic) In. G/GC-Series


Double-Acting Actuators

G20XX/GC20XX (CW Model Shown)




| Actuator Model | A     | B    | C     | D       |
|----------------|-------|------|-------|---------|
| G2009/GC2009   | 9.88  | 3.38 | 11.38 | 3/4 NPT |
| G2010/GC2010   | 11.00 | 4.38 | 11.97 | 3/4 NPT |
| G2012/GC2012   | 13.00 | 5.00 | 12.93 | 3/4 NPT |
| G2014/GC2014   | 14.25 | 5.50 | 13.56 | 3/4 NPT |
| G2016/GC2016   | 16.25 | 6.25 | 14.56 | 3/4 NPT |

G20XX-M11/GC20XX-M11 (CW Model Shown)



NOTE: PUMP HANDLE  
SHOWN STORED, MAY  
BE MOVED UP OR DOWN.



| Actuator Model       | A     | B    | C       |
|----------------------|-------|------|---------|
| G2009-M11/GC2009-M11 | 9.88  | 3.38 | 3/4 NPT |
| G2010-M11/GC2010-M11 | 11.00 | 4.38 | 3/4 NPT |
| G2012-M11/GC2012-M11 | 13.00 | 5.00 | 3/4 NPT |
| G2014-M11/GC2014-M11 | 14.25 | 5.50 | 3/4 NPT |
| G2016-M11/GC2016-M11 | 16.25 | 6.25 | 3/4 NPT |

Note: Not Certified dimensional drawings. Such drawings available on request.  
Contact factory with correct model designation and serial number.  
All dimensions are expressed in inches.

**BETTIS**

Copyright © Emerson. The information in this document is subject to change without notice. Updated data sheets can be obtained from our website  
www.emerson.com/bettis or from your Emerson Automation Solutions - Actuation Technologies Center:  
America's: +1 281 477 4100 Europe: +36 22 53 0950 Asia/Pacific: +65 67 77 8211

**EMERSON**

**Data sheet**




Sheet No.: GPI 3.06 Rev. C  
Date: March 2017

**G/GC-Series**

**Dimensions – (Pneumatic) In.**  
**G/GC-Series**

Double-Acting Actuators  
Valve/Accessory Mounting Details

Adjustable End Stops  
& Jackscrews



|                      | X (-ETS)<br>Extended<br>Travel Stop | X<br>End Stop | Z<br>(M3/M3HW)<br>Jackscrew |
|----------------------|-------------------------------------|---------------|-----------------------------|
| Power Module         | 28.32                               | 21.41         | 35.07                       |
| Blind End Cap Module | 16.83                               | 9.92          | 22.55                       |
| Spring Module        | 48.22                               | 41.31         | 50.35                       |

Note: Not Certified dimensional drawings. Such drawings available on request.  
Contact factory with correct model designation and serial number.  
All dimensions are expressed in inches.

**BETTIS™**

Copyright © Emerson. The information in this document is subject to change without notice. Updated data sheets can be obtained from our website [www.emerson.com/bettis](http://www.emerson.com/bettis) or from your Emerson Automation Solutions - Actuation Technologies Center:  
America's: +1 281 477 4100 Europe: +36 22 53 0950 Asia/Pacific: +65 67 77 8211

  
**EMERSON™**

## Data sheet

Sheet No.: GPI 3.07 Rev. C


Date: March 2017

G/GC-Series


# Dimensions – (Pneumatic) In. G/GC-Series

## Spring-Return Actuators

G20XX-SR/GC20XX-SR (CW Model Shown)



G20XX-SR-M11/GC20XX-SR-M11 (CW Model Shown)



Note: Not Certified dimensional drawings. Such drawings available on request.  
Contact factory with correct model designation and serial number.  
All dimensions are expressed in inches.

**BETTIS**

Copyright © Emerson. The information in this document is subject to change without notice. Updated data sheets can be obtained from our website [www.emerson.com/bettis](http://www.emerson.com/bettis) or from your Emerson Automation Solutions - Actuation Technologies Center:  
America's: +1 281 477 4100 Europe: +36 22 53 0950 Asia/Pacific: +65 67 77 8211

**EMERSON**

## Data sheet


Sheet No.: GPI 3.08 Rev. C

Date: March 2017

G/GC-Series

# Dimensions – (Pneumatic) In. G/GC-Series

Spring-Return Actuators  
Accessory Details



Note: Not Certified dimensional drawings. Such drawings available on request.  
Contact factory with correct model designation and serial number.  
All dimensions are expressed in inches.

**BETTIS™**

Copyright © Emerson. The information in this document is subject to change without notice. Updated data sheets can be obtained from our website [www.emerson.com/bettis](http://www.emerson.com/bettis) or from your Emerson Automation Solutions - Actuation Technologies Center:  
America's: +1 281 477 4100 Europe: +36 22 53 0950 Asia/Pacific: +65 67 77 8211

  
**EMERSON™**

## Data sheet

Sheet No.: GPI 3.09 Rev. C



Date: March 2017

G/GC-Series

# Dimensions – (Pneumatic) In. G/GC-Series


## Double-Acting Actuators

G30XX/GC30XX (CW Model Shown)




| Actuator Model | A     | B    | C     | D       |
|----------------|-------|------|-------|---------|
| G3010/GC3010   | 11.00 | 4.38 | 14.91 | 3/4 NPT |
| G3012/GC3012   | 13.00 | 5.19 | 15.91 | 3/4 NPT |
| G3014/GC3014   | 14.25 | 5.68 | 16.53 | 3/4 NPT |
| G3016/GC3016   | 16.25 | 6.25 | 17.53 | 3/4 NPT |
| G3020/GC3020   | 20.25 | 8.00 | 19.53 | 3/4 NPT |

## G30XX-M11/GC30XX-M11 (CW Model Shown)



NOTE: PUMP HANDLE SHOWN STORED, MAY BE MOVED UP OR DOWN.



| Actuator Model       | A     | B    | C       |
|----------------------|-------|------|---------|
| G3010-M11/GC3010-M11 | 11.00 | 4.38 | 3/4 NPT |
| G3012-M11/GC3012-M11 | 13.00 | 5.19 | 3/4 NPT |
| G3014-M11/GC3014-M11 | 14.25 | 5.68 | 3/4 NPT |
| G3016-M11/GC3016-M11 | 16.25 | 6.25 | 3/4 NPT |
| G3020-M11/GC3020-M11 | 20.25 | 8.00 | 3/4 NPT |

Note: Not Certified dimensional drawings. Such drawings available on request.  
Contact factory with correct model designation and serial number.  
All dimensions are expressed in inches.

**BETTIS**

Copyright © Emerson. The information in this document is subject to change without notice. Updated data sheets can be obtained from our website [www.emerson.com/bettis](http://www.emerson.com/bettis) or from your Emerson Automation Solutions - Actuation Technologies Center:  
America's: +1 281 477 4100 Europe: +36 22 53 0950 Asia/Pacific: +65 67 77 8211

**EMERSON**

**Data sheet**


Sheet No.: GPI 3.10 Rev. C  
Date: March 2017

G/GC-Series

# Dimensions – (Pneumatic) In. G/GC-Series

Double-Acting Actuators  
Valve/Accessory Mounting Details

Adjustable End Stops  
& Jackscrews



|                      | X (-ETS)<br>Extended<br>Travel Stop | X<br>End Stop | Z<br>(M3/M3HW)<br>Jackscrew |
|----------------------|-------------------------------------|---------------|-----------------------------|
| Power Module         | 33.09                               | 24.53         | 36.94                       |
| Blind End Cap Module | 19.57                               | 11.10         | 22.86                       |
| Spring Module        | 53.30                               | 44.74         | 55.00                       |

Note: Not Certified dimensional drawings. Such drawings available on request.  
Contact factory with correct model designation and serial number.  
All dimensions are expressed in inches.

**BETTIS**

Copyright © Emerson. The information in this document is subject to change without notice. Updated data sheets can be obtained from our website  
[www.emerson.com/bettis](http://www.emerson.com/bettis) or from your Emerson Automation Solutions - Actuation Technologies Center:  
America's: +1 281 477 4100 Europe: +36 22 53 0950 Asia/Pacific: +65 67 77 8211

  
**EMERSON**

## Data sheet

Sheet No.: GPI 3.11 Rev. C



Date: March 2017

G/GC-Series

# Dimensions – (Pneumatic) In. G/GC-Series

## Spring-Return Actuators


### G30XX-SR/GC30XX-SR (CW Model Shown)



SPRING MODULE TYPE "A"  
CONFIGURATION FOR  
HYDRAULIC OVERRIDE  
ADAPTABILITY

| Actuator Model     | A     | B    | C     | D       |
|--------------------|-------|------|-------|---------|
| G3010-SR/GC3010-SR | 11.00 | 4.38 | 14.91 | 3/4 NPT |
| G3012-SR/GC3012-SR | 13.00 | 5.19 | 15.91 | 3/4 NPT |
| G3014-SR/GC3014-SR | 14.25 | 5.68 | 16.53 | 3/4 NPT |
| G3016-SR/GC3016-SR | 16.25 | 6.25 | 17.53 | 3/4 NPT |
| G3020-SR/GC3020-SR | 20.25 | 8.00 | 19.53 | 3/4 NPT |

### G30XX-SR-M11/GC30XX-SR-M11 (CW Model Shown)



NOTE: PUMP HANDLE  
SHOWN STORED, MAY  
BE MOVED UP OR DOWN.

| Actuator Model             | A     | B    | C       |
|----------------------------|-------|------|---------|
| G3010-SR-M11/GC3010-SR-M11 | 11.00 | 4.38 | 3/4 NPT |
| G3012-SR-M11/GC3012-SR-M11 | 13.00 | 5.19 | 3/4 NPT |
| G3014-SR-M11/GC3014-SR-M11 | 14.25 | 5.68 | 3/4 NPT |
| G3016-SR-M11/GC3016-SR-M11 | 16.25 | 6.25 | 3/4 NPT |
| G3020-SR-M11/GC3020-SR-M11 | 20.25 | 8.00 | 3/4 NPT |

Note: Not Certified dimensional drawings. Such drawings available on request.  
Contact factory with correct model designation and serial number.  
All dimensions are expressed in inches.

**BETTIS**

Copyright © Emerson. The information in this document is subject to change without notice. Updated data sheets can be obtained from our website [www.emerson.com/bettis](http://www.emerson.com/bettis) or from your Emerson Automation Solutions - Actuation Technologies Center:  
America's: +1 281 477 4100 Europe: +36 22 53 0950 Asia/Pacific: +65 67 77 8211

**EMERSON**



## Data sheet


Sheet No.: GPI 3.12 Rev. C

Date: March 2017

G/GC-Series

# Dimensions – (Pneumatic) In. G/GC-Series

Spring-Return Actuators  
Accessory Details



Note: Not Certified dimensional drawings. Such drawings available on request.  
Contact factory with correct model designation and serial number.  
All dimensions are expressed in inches.

**BETTIS™**

Copyright © Emerson. The information in this document is subject to change without notice. Updated data sheets can be obtained from our website [www.emerson.com/bettis](http://www.emerson.com/bettis) or from your Emerson Automation Solutions - Actuation Technologies Center:  
America's: +1 281 477 4100 Europe: +36 22 53 0950 Asia/Pacific: +65 67 77 8211

  
**EMERSON™**



## Data sheet

Sheet No.: GPI 3.13 Rev. C



Date: March 2017

G/GC-Series

# Dimensions – (Pneumatic) In. G/GC-Series


## Double-Acting Actuators

G40XX/GC40XX (CW Model Shown)




| Actuator Model | A     | B     | C     | D       |
|----------------|-------|-------|-------|---------|
| G4012/GC4012   | 13.00 | 5.44  | 17.69 | 3/4 NPT |
| G4014/GC4014   | 14.25 | 5.63  | 18.32 | 3/4 NPT |
| G4016/GC4016   | 16.25 | 6.25  | 19.32 | 3/4 NPT |
| G4020/GC4020   | 20.25 | 8.13  | 21.32 | 3/4 NPT |
| G4024/GC4024   | 24.25 | 9.63  | 23.32 | 3/4 NPT |
| G4028/GC4028   | 29.00 | 11.50 | 25.69 | 1.0 NPT |

## G40XX-M11/GC40XX-M11 (CW Model Shown)



NOTE: PUMP HANDLE SHOWN STORED, MAY BE MOVED UP OR DOWN.



| Actuator Model       | A     | B     | C       |
|----------------------|-------|-------|---------|
| G4012-M11/GC4012-M11 | 13.00 | 5.44  | 3/4 NPT |
| G4014-M11/GC4014-M11 | 14.25 | 5.63  | 3/4 NPT |
| G4016-M11/GC4016-M11 | 16.25 | 6.25  | 3/4 NPT |
| G4020-M11/GC4020-M11 | 20.25 | 8.13  | 3/4 NPT |
| G4024-M11/GC4024-M11 | 24.25 | 9.63  | 3/4 NPT |
| G4028-M11/GC4028-M11 | 29.00 | 11.50 | 1.0 NPT |

Note: Not Certified dimensional drawings. Such drawings available on request.  
Contact factory with correct model designation and serial number.  
All dimensions are expressed in inches.

**BETTIS**

Copyright © Emerson. The information in this document is subject to change without notice. Updated data sheets can be obtained from our website [www.emerson.com/bettis](http://www.emerson.com/bettis) or from your Emerson Automation Solutions - Actuation Technologies Center:  
America's: +1 281 477 4100 Europe: +36 22 53 0950 Asia/Pacific: +65 67 77 8211

**EMERSON**

## Data sheet

Sheet No.: GPI 3.14 Rev. C




Date: March 2017

G/GC-Series

# Dimensions – (Pneumatic) In. G/GC-Series

Double-Acting Actuators  
Valve/Accessory Mounting Details

Adjustable End Stops



|                      | X<br>Extended<br>Travel Stop | X<br>End Stop |
|----------------------|------------------------------|---------------|
| Power Module         | 39.74                        | 31.12         |
| Blind End Cap Module | 23.32                        | 14.70         |
| Spring Module        | 60.61                        | 52.00         |

Note: Not Certified dimensional drawings. Such drawings available on request.  
Contact factory with correct model designation and serial number.  
All dimensions are expressed in inches.

**BETTIS**


Copyright © Emerson. The information in this document is subject to change without notice. Updated data sheets can be obtained from our website [www.emerson.com/bettis](http://www.emerson.com/bettis) or from your Emerson Automation Solutions - Actuation Technologies Center:  
America's: +1 281 477 4100 Europe: +36 22 53 0950 Asia/Pacific: +65 67 77 8211

  
**EMERSON**


Sheet No.: GPI 3.15 Rev. C  
Date: March 2017

## Dimensions – (Pneumatic) In. G/GC-Series

**G40XX-SRX/GC40XX-SRX (CW Model Shown)**



**G40XX-SRX-M11/GC40XX-SRX-M11 (CW Model Shown)**



Note: Not Certified dimensional drawings. Such drawings available on request.  
Contact factory with correct model designation and serial number.  
All dimensions are expressed in inches.



Copyright © Emerson. The information in this document is subject to change without notice. Updated data sheets can be obtained from our website [www.emerson.com/bettis](http://www.emerson.com/bettis) or from your Emerson Automation Solutions - Actuation Technologies Center:  
**America's:** +1 281 477 4100 **Europe:** +36 22 53 0950 **Asia/Pacific:** +65 67 77 8211

## Data sheet


Sheet No.: GPI 3.16 Rev. C

Date: March 2017

G/GC-Series

# Dimensions – (Pneumatic) In. G/GC-Series

Spring-Return Actuators  
Lug/Accessory Details



Note: Not Certified dimensional drawings. Such drawings available on request.  
Contact factory with correct model designation and serial number.  
All dimensions are expressed in inches.

**BETTIS**<sup>™</sup>

Copyright © Emerson. The information in this document is subject to change without notice. Updated data sheets can be obtained from our website [www.emerson.com/bettis](http://www.emerson.com/bettis) or from your Emerson Automation Solutions - Actuation Technologies Center:  
America's: +1 281 477 4100 Europe: +36 22 53 0950 Asia/Pacific: +65 67 77 8211

  
**EMERSON**<sup>™</sup>

## Data sheet

Sheet No.: GPI 3.17 Rev. C



Date: March 2017

G/GC-Series

# Dimensions – (Pneumatic) In. G/GC-Series



## Double-Acting Actuators

### G50XX/GC50XX (CW Model Shown)



| Actuator Model | A     | B     | C     | D         |
|----------------|-------|-------|-------|-----------|
| G5016/GC5016   | 16.25 | 7.06  | 21.88 | 3/4 NPT   |
| G5020/GC5020   | 20.25 | 8.00  | 23.88 | 3/4 NPT   |
| G5024/GC5024   | 24.25 | 9.25  | 25.88 | 1 NPT     |
| G5028/GC5028   | 29.00 | 12.06 | 28.25 | 1 NPT     |
| G5032/GC5032   | 33.00 | 14.00 | 30.25 | 1-1/2 NPT |
| G5036/GC5036   | 37.25 | 16.00 | 32.38 | 1-1/2 NPT |

### G50XX-M11/GC50XX-M11 (CW Model Shown)



| Actuator Model       | A     | B     | C         |
|----------------------|-------|-------|-----------|
| G5016-M11/GC5016-M11 | 16.25 | 7.06  | 3/4 NPT   |
| G5020-M11/GC5020-M11 | 20.25 | 8.00  | 3/4 NPT   |
| G5024-M11/GC5024-M11 | 24.25 | 9.25  | 1 NPT     |
| G5028-M11/GC5028-M11 | 29.00 | 12.06 | 1 NPT     |
| G5032-M11/GC5032-M11 | 33.00 | 14.00 | 1-1/2 NPT |
| G5036-M11/GC5036-M11 | 37.25 | 16.00 | 1-1/2 NPT |

Note: Not Certified dimensional drawings. Such drawings available on request.  
Contact factory with correct model designation and serial number.  
All dimensions are expressed in inches.

**BETTIS**

Copyright © Emerson. The information in this document is subject to change without notice. Updated data sheets can be obtained from our website [www.emerson.com/bettis](http://www.emerson.com/bettis) or from your Emerson Automation Solutions - Actuation Technologies Center.  
America's: +1 281 477 4100 Europe: +36 22 53 0950 Asia/Pacific: +65 67 77 8211

**EMERSON**

## Data sheet

Sheet No.: GPI 3.18 Rev. C




Date: March 2017

G/GC-Series

# Dimensions – (Pneumatic) In. G/GC-Series

Double-Acting Actuators  
Valve/Accessory Mounting Details

Adjustable End Stops



|                      | X<br>Extended<br>Travel Stop | X<br>End Stop |
|----------------------|------------------------------|---------------|
| Power Module         | 50.07                        | 38.58         |
| Blind End Cap Module | 28.25                        | 17.38         |
| Spring Module        | 70.50                        | 42.48         |

Note: Not Certified dimensional drawings. Such drawings available on request.  
Contact factory with correct model designation and serial number.  
All dimensions are expressed in inches.

**BETTIS**

Copyright © Emerson. The information in this document is subject to change without notice. Updated data sheets can be obtained from our website [www.emerson.com/bettis](http://www.emerson.com/bettis) or from your Emerson Automation Solutions - Actuation Technologies Center:  
America's: +1 281 477 4100 Europe: +36 22 53 0950 Asia/Pacific: +65 67 77 8211

  
**EMERSON**

## Data sheet

Sheet No.: GPI 3.19 Rev. C



Date: March 2017

G/GC-Series

# Dimensions – (Pneumatic) In. G/GC-Series



## Spring-Return Actuators

G50XX-SR/GC50XX-SR (CW Model Shown)



| Actuator Model     | A     | B     | C     | D         |
|--------------------|-------|-------|-------|-----------|
| G5016-SR/GC5016-SR | 16.25 | 7.06  | 23.75 | 3/4 NPT   |
| G5020-SR/GC5020-SR | 20.25 | 8.00  | 23.88 | 3/4 NPT   |
| G5024-SR/GC5024-SR | 24.25 | 9.25  | 25.88 | 1 NPT     |
| G5028-SR/GC5028-SR | 29.00 | 12.06 | 28.25 | 1 NPT     |
| G5032-SR/GC5032-SR | 33.00 | 14.00 | 30.25 | 1-1/2 NPT |
| G5036-SR/GC5036-SR | 37.25 | 16.00 | 32.38 | 1-1/2 NPT |

## G50XX-SR-M11/GC50XX-SR-M11 (CW Model Shown)



| Actuator Model             | A     | B     | C         |
|----------------------------|-------|-------|-----------|
| G5016-SR-M11/GC5016-SR-M11 | 16.25 | 7.06  | 3/4 NPT   |
| G5020-SR-M11/GC5020-SR-M11 | 20.25 | 8.00  | 3/4 NPT   |
| G5024-SR-M11/GC5024-SR-M11 | 24.25 | 9.25  | 1 NPT     |
| G5028-SR-M11/GC5028-SR-M11 | 29.00 | 12.06 | 1 NPT     |
| G5032-SR-M11/GC5032-SR-M11 | 33.00 | 14.00 | 1-1/2 NPT |
| G5036-SR-M11/GC5036-SR-M11 | 37.25 | 16.00 | 1-1/2 NPT |

Note: Not Certified dimensional drawings. Such drawings available on request.  
Contact factory with correct model designation and serial number.  
All dimensions are expressed in inches.

**BETTIS**

Copyright © Emerson. The information in this document is subject to change without notice. Updated data sheets can be obtained from our website [www.emerson.com/bettis](http://www.emerson.com/bettis) or from your Emerson Automation Solutions - Actuation Technologies Center.  
America's: +1 281 477 4100 Europe: +36 22 53 0950 Asia/Pacific: +65 67 77 8211

**EMERSON**



## Data sheet


Sheet No.: GPI 3.20 Rev. C

Date: March 2017

G/GC-Series

# Dimensions – (Pneumatic) In. G/GC-Series

Spring-Return Actuators  
Lug/Accessory Details



Note: Not Certified dimensional drawings. Such drawings available on request.  
Contact factory with correct model designation and serial number.  
All dimensions are expressed in inches.

**BETTIS™**

Copyright © Emerson. The information in this document is subject to change without notice. Updated data sheets can be obtained from our website [www.emerson.com/bettis](http://www.emerson.com/bettis) or from your Emerson Automation Solutions - Actuation Technologies Center:  
America's: +1 281 477 4100 Europe: +36 22 53 0950 Asia/Pacific: +65 67 77 8211

  
**EMERSON™**

## Data sheet

Sheet No.: GPI 3.21 Rev. C



Date: March 2017

G/GC-Series

# Dimensions – (Pneumatic) In. G/GC-Series


## Double-Acting Actuators

G70XX/GC70XX or G702XX/GC702XX (CW Model Shown)




| Actuator Model | A     | B     | C     | D         |
|----------------|-------|-------|-------|-----------|
| G7020/GC7020   | 20.25 | 8.75  | 26.34 | 3/4 NPT   |
| G7024/GC7024   | 24.25 | 9.63  | 28.34 | 1 NPT     |
| G7028/GC7028   | 29.00 | 11.25 | 30.71 | 1-1/2 NPT |
| G7032/GC7032   | 33.00 | 14.00 | 32.71 | 1-1/2 NPT |
| G7036/GC7036   | 37.25 | 16.00 | 34.84 | 1-1/2 NPT |
| G70228/GC70228 | 29.00 | 11.25 | 30.71 | 1-1/2 NPT |

## G70XX-M11/GC70XX-M11 (CW Model Shown)



NOTE: PUMP HANDLE SHOWN STORED, MAY BE MOVED UP OR DOWN.



| Actuator Model       | A     | B     | C         |
|----------------------|-------|-------|-----------|
| G7020-M11/GC7020-M11 | 20.25 | 8.75  | 3/4 NPT   |
| G7024-M11/GC7024-M11 | 24.25 | 9.63  | 1 NPT     |
| G7028-M11/GC7028-M11 | 29.00 | 11.25 | 1-1/2 NPT |
| G7032-M11/GC7032-M11 | 33.00 | 14.00 | 1-1/2 NPT |
| G7036-M11/GC7036-M11 | 37.25 | 16.00 | 1-1/2 NPT |

Note: Not Certified dimensional drawings. Such drawings available on request.  
Contact factory with correct model designation and serial number.  
All dimensions are expressed in inches.

**BETTIS**

Copyright © Emerson. The information in this document is subject to change without notice. Updated data sheets can be obtained from our website [www.emerson.com/bettis](http://www.emerson.com/bettis) or from your Emerson Automation Solutions - Actuation Technologies Center:  
America's: +1 281 477 4100 Europe: +36 22 53 0950 Asia/Pacific: +65 67 77 8211

**EMERSON**

**Data sheet**


Sheet No.: GPI 3.22 Rev. C  
Date: March 2017

G/GC-Series

# Dimensions – (Pneumatic) In. G/GC-Series

Double-Acting Actuators  
Valve/Accessory Mounting Details

Adjustable End Stops



|                      | X<br>Extended<br>Travel Stop | X<br>End Stop |
|----------------------|------------------------------|---------------|
| Power Module         | 60.97                        | 46.72         |
| Blind End Cap Module | 35.53                        | 21.28         |
| Spring Module        | 91.10                        | 54.44         |

Note: Not Certified dimensional drawings. Such drawings available on request.  
Contact factory with correct model designation and serial number.  
All dimensions are expressed in inches.

**BETTIS™**

Copyright © Emerson. The information in this document is subject to change without notice. Updated data sheets can be obtained from our website [www.emerson.com/bettis](http://www.emerson.com/bettis) or from your Emerson Automation Solutions - Actuation Technologies Center:  
America's: +1 281 477 4100 Europe: +36 22 53 0950 Asia/Pacific: +65 67 77 8211

  
**EMERSON™**

## Data sheet

Sheet No.: GPI 3.23 Rev. C



Date: March 2017

G/GC-Series

# Dimensions – (Pneumatic) In. G/GC-Series



## Spring-Return Actuators

G70XX-SR/GC70XX-SR or G70TXX-SR/GC70TXX-SR (CW Model Shown)



| Actuator Model       | A     | B     | C     | D         |
|----------------------|-------|-------|-------|-----------|
| G7020-SR/GC7020-SR   | 20.25 | 8.75  | 29.59 | 3/4 NPT   |
| G7024-SR/GC7024-SR   | 24.25 | 9.63  | 29.59 | 1 NPT     |
| G7028-SR/GC7028-SR   | 29.00 | 11.25 | 30.71 | 1-1/2 NPT |
| G7032-SR/GC7032-SR   | 33.00 | 14.00 | 32.71 | 1-1/2 NPT |
| G7036-SR/GC7036-SR   | 37.25 | 16.00 | 34.84 | 1-1/2 NPT |
| G70T28-SR/GC70T28-SR | 29.00 | 11.25 | 30.71 | 1-1/2 NPT |

G70XX-SR-M11/GC70XX-SR-M11 or G70TXX-SR-M11/GC70TXX-SR-M11 (CW Model Shown)



| Actuator Model               | A     | B     | C         |
|------------------------------|-------|-------|-----------|
| G7020-SR-M11/GC7020-SR-M11   | 20.25 | 8.75  | 3/4 NPT   |
| G7024-SR-M11/GC7024-SR-M11   | 24.25 | 9.63  | 1 NPT     |
| G7028-SR-M11/GC7028-SR-M11   | 29.00 | 11.25 | 1-1/2 NPT |
| G7032-SR-M11/GC7032-SR-M11   | 33.00 | 14.00 | 1-1/2 NPT |
| G7036-SR-M11/GC7036-SR-M11   | 37.25 | 16.00 | 1-1/2 NPT |
| G70T28-SR-M11/GC70T28-SR-M11 | 29.00 | 11.25 | 1-1/2 NPT |

Note: Not Certified dimensional drawings. Such drawings available on request.  
Contact factory with correct model designation and serial number.  
All dimensions are expressed in inches.

**BETTIS**

Copyright © Emerson. The information in this document is subject to change without notice. Updated data sheets can be obtained from our website [www.emerson.com/bettis](http://www.emerson.com/bettis) or from your Emerson Automation Solutions - Actuation Technologies Center:  
America's: +1 281 477 4100 Europe: +36 22 53 0950 Asia/Pacific: +65 67 77 8211

**EMERSON**

## Data sheet


Sheet No.: GPI 3.24 Rev. C

Date: March 2017

G/GC-Series

# Dimensions – (Pneumatic) In. G/GC-Series

Spring-Return Actuators  
Lug/Accessory Details



Note: Not Certified dimensional drawings. Such drawings available on request.  
Contact factory with correct model designation and serial number.  
All dimensions are expressed in inches.

**BETTIS**<sup>™</sup>

Copyright © Emerson. The information in this document is subject to change without notice. Updated data sheets can be obtained from our website [www.emerson.com/bettis](http://www.emerson.com/bettis) or from your Emerson Automation Solutions - Actuation Technologies Center:  
America's: +1 281 477 4100 Europe: +36 22 53 0950 Asia/Pacific: +65 67 77 8211

  
**EMERSON**<sup>™</sup>

## Data sheet

Sheet No.: GPI 3.25 Rev. C



Date: March 2017

G/GC-Series

# Dimensions – (Pneumatic) In. G/GC-Series



## Double-Acting Actuators

G80XX/GC80XX or G802XX/GC802XX (CW Model Shown)



| Actuator Model | A     | B     | C     | D         |
|----------------|-------|-------|-------|-----------|
| G8024/GC8024   | 24.25 | 9.63  | 31.71 | 1 NPT     |
| G8028/GC8028   | 29.00 | 12.38 | 34.08 | 1-1/2 NPT |
| G8032/GC8032   | 33.00 | 13.38 | 36.08 | 1-1/2 NPT |
| G8036/GC8036   | 37.25 | 16.00 | 38.21 | 1-1/2 NPT |
| G8040/GC8040   | 41.25 | 18.00 | 40.21 | 2 NPT     |
| G80232/GC80232 | 33.00 | 13.38 | 36.08 | 1-1/2 NPT |
| G80236/GC80236 | 37.25 | 16.00 | 38.21 | 1-1/2 NPT |

## G80XX-M11/GC80XX-M11 (CW Model Shown)



| Actuator Model       | A     | B     | C         |
|----------------------|-------|-------|-----------|
| G8024-M11/GC8024-M11 | 24.25 | 9.63  | 1 NPT     |
| G8028-M11/GC8028-M11 | 29.00 | 12.38 | 1-1/2 NPT |
| G8032-M11/GC8032-M11 | 33.00 | 13.38 | 1-1/2 NPT |
| G8036-M11/GC8036-M11 | 37.25 | 16.00 | 1-1/2 NPT |
| G8040-M11/GC8040-M11 | 41.25 | 18.00 | 2 NPT     |

Note: Not Certified dimensional drawings. Such drawings available on request.  
Contact factory with correct model designation and serial number.  
All dimensions are expressed in inches.

**BETTIS**

Copyright © Emerson. The information in this document is subject to change without notice. Updated data sheets can be obtained from our website [www.emerson.com/bettis](http://www.emerson.com/bettis) or from your Emerson Automation Solutions - Actuation Technologies Center:  
America's: +1 281 477 4100 Europe: +36 22 53 0950 Asia/Pacific: +65 67 77 8211

**EMERSON**

## Data sheet

Sheet No.: GPI 3.26 Rev. C




Date: March 2017

G/GC-Series

# Dimensions – (Pneumatic) In. G/GC-Series

Double-Acting Actuators  
Valve/Accessory Mounting Details

Adjustable End Stops



|                      | X<br>Extended<br>Travel Stop | X<br>End Stop |
|----------------------|------------------------------|---------------|
| Power Module         | 70.94                        | 54.39         |
| Blind End Cap Module | 40.66                        | 24.92         |
| Spring Module        | 112.04                       | 71.00         |

Note: Not Certified dimensional drawings. Such drawings available on request.  
Contact factory with correct model designation and serial number.  
All dimensions are expressed in inches.

**BETTIS™**

Copyright © Emerson. The information in this document is subject to change without notice. Updated data sheets can be obtained from our website [www.emerson.com/bettis](http://www.emerson.com/bettis) or from your Emerson Automation Solutions - Actuation Technologies Center:  
America's: +1 281 477 4100 Europe: +36 22 53 0950 Asia/Pacific: +65 67 77 8211

  
**EMERSON™**



## Data sheet

Sheet No.: GPI 3.27 Rev. C


Date: March 2017

G/GC-Series

# Dimensions – (Pneumatic) In. G/GC-Series


## Spring-Return Actuators

G80XX-SR/GC80XX-SR or G80TXX-SR/GC80TXX-SR (CW Model Shown)



| Actuator Model       | A     | B     | C     | D         |
|----------------------|-------|-------|-------|-----------|
| G8024-SR/GC8024-SR   | 24.25 | 9.63  | 32.96 | 1 NPT     |
| G8028-SR/GC8028-SR   | 29.00 | 12.38 | 34.08 | 1-1/2 NPT |
| G8032-SR/GC8032-SR   | 33.00 | 13.38 | 36.08 | 1-1/2 NPT |
| G8036-SR/GC8036-SR   | 37.25 | 16.00 | 38.21 | 1-1/2 NPT |
| G8040-SR/GC8040-SR   | 41.25 | 18.00 | 40.21 | 2 NPT     |
| G80T32-SR/GC80T32-SR | 33.00 | 13.38 | 36.08 | 1-1/2 NPT |
| G80T36-SR/GC80T36-SR | 37.25 | 16.00 | 38.21 | 1-1/2 NPT |

## G80XX-SR-M11/GC80XX-SR-M11 or G80TXX-SR-M11/GC80TXX-SR-M11 (CW Model Shown)



| Actuator Model               | A     | B     | C         |
|------------------------------|-------|-------|-----------|
| G8024-SR-M11/GC8024-SR-M11   | 24.25 | 9.63  | 1 NPT     |
| G8028-SR-M11/ GC8028-SR-M11  | 29.00 | 12.38 | 1-1/2 NPT |
| G8032-SR-M11/GC8032-SR-M11   | 33.00 | 13.38 | 1-1/2 NPT |
| G8036-SR-M11/GC8036-SR-M11   | 37.25 | 16.00 | 1-1/2 NPT |
| G8040-SR-M11/GC8040-SR-M11   | 41.25 | 18.00 | 2 NPT     |
| G80T32-SR-M11/GC80T32-SR-M11 | 33.00 | 13.38 | 1-1/2 NPT |
| G80T36-SR-M11/GC80T36-SR-M11 | 37.25 | 16.00 | 1-1/2 NPT |

Note: Not Certified dimensional drawings. Such drawings available on request.  
Contact factory with correct model designation and serial number.  
All dimensions are expressed in inches.

**BETTIS™**

Copyright © Emerson. The information in this document is subject to change without notice. Updated data sheets can be obtained from our website [www.emerson.com/bettis](http://www.emerson.com/bettis) or from your Emerson Automation Solutions - Actuation Technologies Center:  
America's: +1 281 477 4100 Europe: +36 22 53 0950 Asia/Pacific: +65 67 77 8211

**EMERSON™**

## Data sheet


Sheet No.: GPI 3.28 Rev. C

Date: March 2017

G/GC-Series

# Dimensions – (Pneumatic) In. G/GC-Series

Spring-Return Actuators  
Lug/Accessory Details



Note: Not Certified dimensional drawings. Such drawings available on request.  
Contact factory with correct model designation and serial number.  
All dimensions are expressed in inches.

**BETTIS**

Copyright © Emerson. The information in this document is subject to change without notice. Updated data sheets can be obtained from our website [www.emerson.com/bettis](http://www.emerson.com/bettis) or from your Emerson Automation Solutions - Actuation Technologies Center:  
America's: +1 281 477 4100 Europe: +36 22 53 0950 Asia/Pacific: +65 67 77 8211



  
**EMERSON**

Sheet No.: GPI 3.29 Rev. C  
Date: March 2017

## G/GC-Series

### Double-Acting Actuators


G100XX/GC100XX or G1002XX/GC1002XX (CW Model Shown)



| Actuator Model   | A     | B     | C     | D         |
|------------------|-------|-------|-------|-----------|
| G10028/GC10028   | 29.00 | 12.38 | 40.08 | 1-1/2 NPT |
| G10032/GC10032   | 33.00 | 13.38 | 42.08 | 1-1/2 NPT |
| G10036/GC10036   | 37.25 | 16.00 | 44.21 | 2 NPT     |
| G10040/GC10040   | 41.25 | 18.00 | 46.21 | 2 NPT     |
| G100232/GC100232 | 33.00 | 13.38 | 42.08 | 1-1/2 NPT |
| G100236/GC100236 | 37.25 | 16.00 | 44.21 | 2 NPT     |
| G100240/GC100240 | 41.25 | 18.00 | 46.21 | 2 NPT     |

Technical drawing of the M11 Pump Assembly. The drawing shows a side view of the pump with various dimensions and labels. The labels include: M11 PUMP ASSEMBLY, ACCESS PLUG 2 NPT, and C PORT SIZE (2 PLC'S). The dimensions are: 25.82, 25.34, 10.50, 31.53, 66.96, 9.09, 15.08, 20.17, and 22.67.

NOTE: PUMP HANDLE  
SHOWN STORED, MAY  
BE MOVED UP OR DOWN.



| Actuator Model         | A     | B     | C         |
|------------------------|-------|-------|-----------|
| G10028-M11/GC10028-M11 | 29.00 | 12.38 | 1-1/2 NPT |
| G10032-M11/GC10032-M11 | 33.00 | 13.38 | 1-1/2 NPT |
| G10036-M11/GC10036-M11 | 37.25 | 16.00 | 2 NPT     |
| G10040-M11/GC10040-M11 | 41.25 | 18.00 | 2 NPT     |

Note: Not Certified dimensional drawings. Such drawings available on request.  
Contact factory with correct model designation and serial number.  
All dimensions are expressed in inches.

**BETTIS™**

Copyright © Emerson. The information in this document is subject to change without notice. Updated data sheets can be obtained from our website [www.emerson.com/bettis](http://www.emerson.com/bettis) or from your Emerson Automation Solutions - Actuation Technologies Center:  
**America's:** +1 281 477 4100 **Europe:** +36 22 53 0950 **Asia/Pacific:** +65 67 77 8211





# Dimensions – (Pneumatic) In.

## G/GC-Series

Double-Acting Actuators  
Valve/Accessory Mounting Details

Adjustable End Stops



|                      | X<br>Extended<br>Travel Stop | X<br>End Stop |
|----------------------|------------------------------|---------------|
| Power Module         | 89.08                        | 80.08         |
| Blind End Cap Module | C/F                          | C/F           |
| Spring Module        | C/F                          | C/F           |

C/F Consult Factory

Note: Not Certified dimensional drawings. Such drawings available on request.  
Contact factory with correct model designation and serial number.  
All dimensions are expressed in inches.

**BETTIS™**

Copyright © Emerson. The information in this document is subject to change without notice. Updated data sheets can be obtained from our website [www.emerson.com/bettis](http://www.emerson.com/bettis) or from your Emerson Automation Solutions - Actuation Technologies Center:  
America's: +1 281 477 4100 Europe: +36 22 53 0950 Asia/Pacific: +65 67 77 8211

  
**EMERSON™**

## Data sheet

Sheet No.: GPI 3.31 Rev. C


Date: March 2017

G/GC-Series

# Dimensions – (Pneumatic) In. G/GC-Series


## Spring-Return Actuators

G100XX-SR/GC100XX-SR or G100TXX-SR/GC100TXX-SR (CW Model Shown)



| Actuator Model         | A     | B     | C     | D         |
|------------------------|-------|-------|-------|-----------|
| G10028-SR/GC10028-SR   | 29.00 | 12.38 | 40.08 | 1-1/2 NPT |
| G10032-SR/GC10032-SR   | 33.00 | 13.38 | 42.08 | 1-1/2 NPT |
| G10036-SR/GC10036-SR   | 37.25 | 16.00 | 44.21 | 2 NPT     |
| G10040-SR/GC10040-SR   | 41.25 | 18.00 | 46.21 | 2 NPT     |
| G100T32-SR/GC100T32-SR | 33.00 | 13.38 | 42.08 | 1-1/2 NPT |
| G100T36-SR/GC100T36-SR | 37.25 | 16.00 | 44.21 | 2 NPT     |
| G100T40-SR/GC100T40-SR | 41.25 | 18.00 | 46.21 | 2 NPT     |

## G100XX-SR-M11/GC100XX-SR-M11 or G100TXX-SR-M11/GC100TXX-SR-M11 (CW Model Shown)



| Actuator Model                 | A     | B     | C         |
|--------------------------------|-------|-------|-----------|
| G10028-SR-M11/GC10028-SR-M11   | 29.00 | 12.38 | 1-1/2 NPT |
| G10032-SR-M11/GC10032-SR-M11   | 33.00 | 13.38 | 1-1/2 NPT |
| G10036-SR-M11/GC10036-SR-M11   | 37.25 | 16.00 | 2 NPT     |
| G10040-SR-M11/GC10040-SR-M11   | 41.25 | 18.00 | 2 NPT     |
| G100T32-SR-M11/GC100T32-SR-M11 | 33.00 | 13.38 | 1-1/2 NPT |
| G100T36-SR-M11/GC100T36-SR-M11 | 37.25 | 16.00 | 2 NPT     |
| G100T40-SR-M11/GC100T40-SR-M11 | 41.25 | 18.00 | 2 NPT     |

Note: Not Certified dimensional drawings. Such drawings available on request.  
Contact factory with correct model designation and serial number.  
All dimensions are expressed in inches.

**BETTIS**

Copyright © Emerson. The information in this document is subject to change without notice. Updated data sheets can be obtained from our website [www.emerson.com/bettis](http://www.emerson.com/bettis) or from your Emerson Automation Solutions - Actuation Technologies Center:  
America's: +1 281 477 4100 Europe: +36 22 53 0950 Asia/Pacific: +65 67 77 8211

**EMERSON**

## Data sheet


Sheet No.: GPI 3.32 Rev. C

Date: March 2017

G/GC-Series

# Dimensions – (Pneumatic) In. G/GC-Series

Spring-Return Actuators  
Lug/Accessory Details



Note: Not Certified dimensional drawings. Such drawings available on request.

Contact factory with correct model designation and serial number.  
All dimensions are expressed in inches.



[www.globalsupplyline.com.au](http://www.globalsupplyline.com.au)

Global Supply Line are Bettis resellers and stockists. We are an approved Emerson Actuator distributor. We can supply/ quote complete actuator packages for emergency supply within Australia, New Zealand, Papua New Guinea and all overseas locations from our Adelaide Emerson Approved Automation Centre. [Click here](#) for our full on line stock list.

**BETTIS**

Copyright © Emerson. The information in this document is subject to change without notice. Updated data sheets can be obtained from our website [www.emerson.com/bettis](http://www.emerson.com/bettis) or from your Emerson Automation Solutions - Actuation Technologies Center:  
America's: +1 281 477 4100 Europe: +36 22 53 0950 Asia/Pacific: +65 67 77 8211



**EMERSON**